


### AMENDMENTS TO THE CLAIMS

Claims 1-43 (cancelled).

Claim 44 (currently amended): A method ~~for the treatment of~~ to treat asthma or to cause bronchial dilation in a mammal in need thereof, which method comprises administering to said mammal an effective, non-toxic amount of a compound of formula I:



I

wherein

each of R<sup>1</sup> and R<sup>2</sup> independently represents a C<sub>1-6</sub> alkyl or C<sub>2-7</sub> acyl group;

R<sup>5</sup> represents a hydrogen atom or a C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl or C<sub>2-3</sub> alkynyl group;

R<sup>6</sup> represents a hydrogen atom or a C<sub>1-6</sub> alkyl, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> alkynyl, amino, C<sub>1-6</sub> alkylamino, di(C<sub>1-6</sub>) alkylamino or C<sub>2-7</sub> acylamino group;

each of R<sup>7</sup> and R<sup>8</sup> independently represents a hydrogen or halogen atom or a hydroxy, trifluoromethyl, C<sub>1-6</sub> alkyl, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> alkynyl, C<sub>2-7</sub> acyl, C<sub>1-6</sub> alkylthio, C<sub>1-6</sub> alkoxy,

C<sub>3-6</sub> cycloalkyl; and

R<sup>9</sup> represents a hydrogen or halogen atom or a hydroxy, trifluoromethyl, C<sub>1-6</sub> alkyl, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> alkynyl, C<sub>2-7</sub> acyl, C<sub>1-6</sub> alkylthio, C<sub>1-6</sub> alkoxy or C<sub>3-6</sub> cycloalkyl group;

X represents a group CR<sup>3</sup>R<sup>4</sup>, wherein each of R<sup>3</sup> and R<sup>4</sup> independently represents a hydrogen atom or a C<sub>1-3</sub> alkyl group;


each of  $R^{10}$  and  $R^{11}$  independently represents a hydrogen atom, a  $C_{1-3}$  alkyl,  $C_{3-6}$  cycloalkyl or phenyl group;

Y represents an oxygen atom or a group  $CHNO_2$ ,  $NCN$ ,  $NH$  or  $NNO_2$ ;

n is an integer from 2 to 4;

or a salt thereof.

Claim 45 (previously presented): A method for the treatment of chronic obstructive pulmonary disease (COPD) in a mammal, which method comprises administering to said mammal an effective, non-toxic amount of a compound of formula I:



I

wherein

each of  $R^1$  and  $R^2$  independently represents a  $C_{1-6}$  alkyl or  $C_{2-7}$  acyl group;

$R^5$  represents a hydrogen atom or a  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl or  $C_{2-3}$  alkynyl group;

$R^6$  represents a hydrogen atom or a  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl, amino,  $C_{1-6}$  alkylamino, di( $C_{1-6}$ ) alkylamino or  $C_{2-7}$  acylamino group;

each of  $R^7$  and  $R^8$  independently represents a hydrogen or halogen atom or a hydroxy, trifluoromethyl,  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{2-7}$  acyl,  $C_{1-6}$  alkylthio,  $C_{1-6}$  alkoxy,

$C_{3-6}$  cycloalkyl; and

R<sup>9</sup> represents a hydrogen or halogen atom or a hydroxy, trifluoromethyl, C<sub>1-6</sub> alkyl, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> alkynyl, C<sub>2-7</sub> acyl, C<sub>1-6</sub> alkylthio, C<sub>1-6</sub> alkoxy or C<sub>3-6</sub> cycloalkyl group;

X represents a group CR<sup>3</sup>R<sup>4</sup>, wherein each of R<sup>3</sup> and R<sup>4</sup> independently represents a hydrogen atom or a C<sub>1-3</sub> alkyl group;

each of R<sup>10</sup> and R<sup>11</sup> independently represents a hydrogen atom, a C<sub>1-3</sub> alkyl, C<sub>3-6</sub> cycloalkyl or phenyl group;

Y represents an oxygen atom or a group CHNO<sub>2</sub>, NCN, NH or NNO<sub>2</sub>;

n is an integer from 2 to 4;

or a salt thereof.

Claim 46 (currently amended): A method as claimed in any one of claims ~~43~~, 44, or 45, wherein independently or in any compatible combination:

each of R<sup>1</sup> and R<sup>2</sup> independently represent a C<sub>1-6</sub> alkyl;

each of R<sup>3</sup> and R<sup>4</sup> represents a hydrogen atom;

R<sup>5</sup> represents a hydrogen atom;

R<sup>6</sup> represents a hydrogen atom;

each of R<sup>7</sup> and R<sup>8</sup> independently represent a C<sub>1-6</sub> alkyl;

R<sup>9</sup> represents a halogen atom or a methyl or acetyl group;

Y represents an oxygen atom or a group CHNO<sub>2</sub>; and

n is 2.

Claim 47 (currently amended): A method as claimed in any one of claims ~~43 to 44~~ or 45, wherein the compound is administered by aerosol.

Claim 48 (currently amended): A method as claimed in any one of claims ~~43 to 44~~ or 45, wherein the mammal is a human.

Claims 49-50 (cancelled).

Claim 51 (currently amended): A method as claimed in any one of claims ~~43 to 44~~ or 45, wherein each of R<sup>1</sup> and R<sup>2</sup> represents a C<sub>1-4</sub> alkyl group; and each of R<sup>7</sup> and R<sup>8</sup> represents a methyl, ethyl or isopropyl group.

Claim 52 (currently amended): A method as claimed in any one of claims ~~43 to 44~~ or 45, wherein the compound of general formula I is selected from the group consisting of:

9,10-Dimethoxy-2-(2,4,6-trimethylphenylimino)-3-(*N*-carbamoyl-2-aminoethyl)-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

9,10-Dimethoxy-2-(2,4,6-trimethylphenylimino)-3-[*N*-(*N'*-isopropylcarbamoyl)-2-aminoethyl]-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

9,10-Dimethoxy-2-(2,4,6-trimethylphenylimino)-3-[*N*-[1-(*N'*-methyl-2-nitroethenamine)]-2-aminoethyl]-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

9,10-Dimethoxy-2-(2,4,6-trimethylphenylimino)-3-[*N*-[1-(*N'*-isopropyl-2-nitroethenamine)]-2-aminoethyl]-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

9,10-Dimethoxy-2-(2,4,6-trimethylphenylimino)-3-[*N*-[1-(*N'*, *N'*-dimethyl-2-nitroethenamine)]-2-aminoethyl]-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

9,10-Dimethoxy-2-(2,4,6-trimethylphenylimino)-3-[*N*-(*N'*-phenylcarbamoyl)-2-aminoethyl]-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-2-one;

9, 10-Dimethoxy-3-[2-guanidinoethyl]-2-(2,4,6-trimethylphenylimino)-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

9,10-Dimethoxy-3-[*N*-(*N'*-nitro)-2-guanidinoethyl]-2-(2,4,6-trimethylphenylimino)-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

3-[*N*-(*N'*-Cyclohexylcarbamoyl)-2-aminoethyl]-9,10-dimethoxy-2-(2,4,6-trimethylphenylimino)-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;


3-(*N*-Carbamoyl-2-aminoethyl)-9,10-dimethoxy-2-(2-methylphenylimino)-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

3-(*N*-Carbamoyl-2-aminoethyl)-2-(2,6-diisopropylphenylimino)-9,10-dimethoxy-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one;

3-(*N*-Carbamoyl-4-aminobutyl)-9,10-dimethoxy-2-(2,4,6-trimethylphenylimino)-3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one; and

3-[*N*-(*N'*-Cyano-*N''*-methyl)-2-guanidinoethyl]-9,10-dimethoxy-2-(2,4,6-trimethyl-phenylimino)- 3,4,6,7-tetrahydro-2*H*-pyrimido[6,1-*a*]isoquinolin-4-one.

Claim 53 (currently amended): A method of treating a respiratory disorder in a mammal in need of a smooth muscle relaxant and/or an anti-inflammatory compound, comprising administering to a subject an effective, non-toxic amount of a compound of formula I:



I

wherein

each of  $R^1$  and  $R^2$  independently represents a  $C_{1-6}$  alkyl or  $C_{2-7}$  acyl group;

$R^5$  represents a hydrogen atom or a  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl or  $C_{2-3}$  alkynyl group;

$R^6$  represents a hydrogen atom or a  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl, amino,  $C_{1-6}$  alkylamino, di( $C_{1-6}$ ) alkylamino or  $C_{2-7}$  acylamino group;

each of  $R^7$  and  $R^8$  independently represents a hydrogen or halogen atom or a hydroxy, trifluoromethyl,  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{2-7}$  acyl,  $C_{1-6}$  alkylthio,  $C_{1-6}$  alkoxy,

$C_{3-6}$  cycloalkyl; and

$R^9$  represents a hydrogen or halogen atom or a hydroxy, trifluoromethyl,  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{2-7}$  acyl,  $C_{1-6}$  alkylthio,  $C_{1-6}$  alkoxy or  $C_{3-6}$  cycloalkyl group;

X represents a group  $CR^3R^4$ , wherein each of  $R^3$  and  $R^4$  independently represents a hydrogen atom or a  $C_{1-3}$  alkyl group;

each of  $R^{10}$  and  $R^{11}$  independently represents a hydrogen atom, a  $C_{1-3}$  alkyl,  $C_{3-6}$  cycloalkyl or phenyl group;

Y represents an oxygen atom or a group  $CHNO_2$ ,  $NCN$ ,  $NH$  or  $NNO_2$ ;

n is an integer from 2 to 4;

or a salt thereof, and

wherein the respiratory disorder is selected from the group consisting of allergic asthma, hay fever, allergic rhinitis, bronchitis, cystic fibrosis, and adult respiratory distress syndrome (ARDS).

Claim 54 (cancelled).

Claim 55 (currently amended): The method of claim ~~54~~ 53, wherein the respiratory disorder is selected from the group consisting of ~~asthma, allergic asthma, hay fever, and allergic rhinitis, bronchitis, chronic obstructive pulmonary disease (COPD), adult respiratory distress syndrome (ARDS), and cystic fibrosis.~~

Claims 56-63 (cancelled).